

## Ashbrook, Charmane E (DFW)

---

**From:** Preuss, Lori (DFW)  
**Sent:** Monday, February 04, 2013 10:49 AM  
**To:** Ashbrook, Charmane E (DFW)  
**Subject:** FW: Comments on WDFW Rules Proposals

Lori Preuss, WSBA #33045  
WDFW Criminal Justice Liaison &  
Administrative Regulations Coordinator  
[Lori.preuss@dfw.wa.gov](mailto:Lori.preuss@dfw.wa.gov)  
360.902.2930  
Fax 360.902.2155

**CONFIDENTIALITY NOTICE:**

This e-mail message, including any attachments, is intended only for the use of the individual or entity to which it is addressed and may contain confidential information that is legally privileged and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify this office by telephone at 360.902.2930, and return this message to the Washington Department of Fish & Wildlife immediately.

---

**From:** Marianne [mailto:heritagesea@aol.com]  
**Sent:** Friday, February 01, 2013 5:35 PM  
**To:** Preuss, Lori (DFW)  
**Subject:** Comments on WDFW Rules Proposals

Lori:

Please accept my endorsement of the following rules proposals in line with the detailed comments offered by the Wild Steelhead Coalition, as follows:

DFW738341 Bogachiel River  
DFW181021 Hoh River  
DFW 986676 Sol Duc River  
DFW546521 Calawah River

Support. These no boat fishing proposals were designed to slow the decline of wild steelhead in Washington's Coastal Rivers. The stock abundance in coastal rivers has declined about 50% since the 1950's and 30% since the 1980's. This decline is due to management for making escapement only without due conservation concern for protecting spawning fish. The above areas were selected as they are major spawning areas for wild steelhead from both early and late runs. As wild steelhead begin to accumulate in these areas, boat fishers fish them hard and continually catch and release holding and spawning fish. The literature is clear on catch and release impacts; that fish caught will have a 10 to 14% mortality rate and that further but presently unquantified reductions in spawning efficiency of those that live will occur. Also, the catch and release impacts do not include those fish caught and lost but the impacts on those fish should be similar. This rule will allow fishing in these areas at a level that will significantly

reduce the mortality of the early run fish that are now depleted and late run fish that are in decline.

DFW725075 Statewide  
DFW858808 Statewide

Support. These rules were designed to reduce the Catch and Release mortality of wild caught steelhead. The literature is very solid and clear on this problem: that 10 to 14% of the fish released will die. There is no information on loss of spawning effectiveness but gill net caught fish loose 15%. Also, there is no information on caught and lost fish but we must assume the mortality would be similar. This rule will help reduce the decline of wild steelhead in Washington rivers as noted in my other comments. Barbless hooks will reduce Catch and Release mortality by about 50%. Selective gear will have a similar reduction. These two rules may be the most significant change that can be made today to help wild steelhead survive from their present decline and the increasing fisher population.

DFW234122 statewide

Support. This rule was designed to reduce the introgression and competition with wild steelhead from Hatchery fish. Recent research has shown that wild fish subjected to hatchery rearing loose 35% of their productivity per generation. Segregated hatchery fish studied have lost 80% to 98% of their productivity. When hatchery fish mate with wild fish they produce progeny that retains part or all of this productivity loss as the change is due to both genetic loss and domestication selection. Hatchery fish that spawn and produce progeny compete with wild stocks for food and space and reduce the population productivity. In a recent study of 34 steelhead rivers in Washington and Oregon, the population of mixed wild and hatchery spawners lost 2% productivity for each 1% of hatchery spawners. This rule will help maintain pure wild stocks and reduce competition amongst rearing juveniles.

DFW351364  
DFW685875

Support. These rule proposals eliminate the take of wild resident steelhead normally called rainbow trout in the Skagit River. Another proposal which I cannot find eliminated Rainbow Trout take in the coastal and Puget Sound Rivers. (was it accidentally not included or did I just miss it?). Rainbow trout are wild steelhead and contribute significantly to the spawning population of wild anadromous fish. In one recent study genetic sampling showed they were parents to 40% of the returning anadromous spawners. With spawning populations now low, most areas ESA listed and most of the other areas in a long term decline, it is important to build up the spawning population and males of the resident population will contribute significant spawn. These proposals will allow continued fishing but greatly reduce the mortality via selective rules. I support the closure of harvest and the use of selective gear only for all west side fisheries for rainbow trout.

Thank you for the opportunity to comment on the 2012/3 rules proposals. I served as a member of the advisory group for the development of the Wild Steelhead Management Plan and I have been very disappointed at the slow pace of its implementation. These rules will help move it along.

Thanks for you consideration.

Marianne Mitchell  
Seabeck, WA